

BUDFEED PLUS

ANALYSIS

	w/v
TOTAL NITROGEN	23.0%
CALCIUM	6.0%
MAGNESIUM	2.0%

Derived from: Stabilised Amine Nitrogen (with urease inhibitor), Calcium and Magnesium Chloride with Stoller's co-factors

IMPURITIES:	Maximum Biuret <0.4%
PRODUCT CONTAINS	40.5% W/W WATER
TOTAL SOLIDS	59.5% W/W

GENERAL INFORMATION

Stoller's **BUDFEED PLUS** is a nutrient formulation designed to:

- Improve fruit quality.
- Provide a nutrient feed of nitrogen, calcium and magnesium through the woody tissue of the tree or vine.
- Promote even bud development in the spring, reducing inactive buds.
- Encourage healthy spring growth of the tree or vine.
- Provide food for early growth of roots and shoots.
- Contain a balanced nutrient formulation that will not drive excessive vegetative growth.

METHODS OF APPLICATION

Applied to the dormant wood of the tree or vine (usually after pruning). Apply from four weeks before, to just prior to budburst (but before any bud activity).

MIXING INSTRUCTION

Do not mix with fertilisers containing phosphorus or sulphur. Can be combined with Stoller's Micro-Plus range of nutrients such as zinc, manganese, iron, copper, boron, moly and cobalt.

CAUTION: Always Conduct a "Jar Test" using all products in proper proportion in order to establish physical compatibility.

SHAKE OR AGITATE BEFORE USE

STORE IN A COOL PLACE OUT OF DIRECT SUNLIGHT



Stoller

Unleashing The Power Of Plants

BUDFEED PLUS

STOLLER AUSTRALIA PTY. LTD.

A.C.N. 065 320 747

PO Box 2534

Regency Park

South Australia 5942

Phone (08) 82449588

Fax (08) 82449222

www.stoller.com.au

CONTENTS 20 200 800 1000 LITRES

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes & clothing. Wash thoroughly with soap and water after handling. Avoid breathing spray mist. Use gloves and goggles

RATES

CROP	RATE	COMMENTS
Wine Grapes & Table Grapes	Apply at 7 percent Solution to run off (7 Litres BUDFEED PLUS in 100 litres of water)	Ensure spray to "run off" to dormant canopy and cordon, minimum 30 litres per hectare of BudFeed Plus
Young Trees		Ensure spray to "run off" dormant trees, minimum 600 litres per hectare of Solution
Mature Trees		BudFeed Plus, minimum 750-1000 litres per hectare of Solution
Blueberry Crops - Winter Dormant	Post Pruning applied to wood @ 7% solution to runoff	Minimum 30 litres per hectare of BudFeed Plus. Apply directly to wood post pruning thoroughly wetting plants during late dormancy
Blueberry Crops - Evergreen (winter active)	Budding apply 1% solution every 10-14 days	Apply to wood. thoroughly wetting plants

OTHER NUTRIENTS

BUDFEED PLUS contains good levels of nitrogen, calcium and magnesium when applied at the above rates. Other nutrients can be added to the spray tank. We recommend Stoller's chelated range of WL products. Stoller's Liquid Boron can also be added at 1 litre per 100 litres of **BUDFEED PLUS**.

Timing: Apply in period from 4 weeks before, to just prior to budburst

WARNING

BUDFEED PLUS is intended as a dormant treatment. DO NOT apply when there is bud activity or shoot growth as tissue damage may occur. It is not recommended that **BUDFEED PLUS** be applied immediately after an oil spray. If applying an oil spray after a **BUDFEED PLUS** application, ensure that there is an interval of at least 3 weeks before bud activity.

CONDITIONS OF SALE

1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorised to make any warranty, guarantee or direction concerning this product.
2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.

Batch Number