

SETT / CaB

ANALYSIS	W/V
CALCIUM (Ca)	11.0%
BORON (B)	1.4%

Derived from:
Soluble calcium and complexed boron with polyamines

PRODUCT CONTAINS	40%W/W WATER
TOTAL SOLIDS	60% W/W

GENERAL INFORMATION

- SETT/CaB is designed to be sprayed on plant foliage to reduce localised ethylene production within the plant and increase calcium levels.
- It will also assist calcium replacement in cell walls.
- If used at regular intervals, SETT/CaB will increase fruit, boll, pod or bud set. When used as recommended SETT/CaB will reduce internal damage to storage tissue.

MIXING INSTRUCTIONS

- SETT/CaB can be tank mixed and applied with many commonly used insecticides and fungicides. Refer to chemical label.

CAUTION: Always conduct a “Jar Test” using all products in proper proportion in order to establish physical compatibility. Use caution when spraying tank mixes on crops sensitive to fruit marking.

SHAKE WELL BEFORE MIXING

STORE IN A COOL PLACE OUT OF DIRECT SUNLIGHT

CAUTION

- Harmful if swallowed.
- Avoid contact with skin, eyes or clothing.
- Wash thoroughly with soap and water after handling.
- Avoid breathing spray mist
- Do not contaminate streams, rivers or waterways with the chemical or used containers.

SHI1215

Stoller's

Please Shake
or Agitate Before Use

SETT CaB



STOLLER AUSTRALIA PTY. LTD.
A.C.N. 065 320 747

1 Creswell Rd Phone (08) 8169 0900
Largs Bay Fax (08) 8169 0909
South Australia 5016 www.stoller.com.au

CONTENTS	20	200	800	1000	LITRES
----------	----	-----	-----	------	--------

MADE IN AUSTRALIA

DIRECTIONS FOR USE

It is more effective to spray small amounts with greater frequency. Spray enough water to achieve thorough coverage of the entire plant.

GLASSHOUSE CROPS

CROP	RATE	FREQUENCY	COMMENTS
Tomatoes	500ml/200L of water	7-10 days	Begin application when first flower appears.
Capsicums			
Cucumbers			

FIELD CROPS

CROP	RATE	FREQUENCY	COMMENTS
Field crops incl. pulses	5-8 litres per hectare	7-14 days	Begin application when first flower appears. Continue through to harvest.
Berries and Strawberries	5-7 litres per hectare	10-14 days	
Field Vegetables	5-7 litres per hectare	7-14 days	Begin application when the crop goes into "rapid growth" stage or when storage tissue starts to develop. Discontinue when rapid growth ceases or when storage tissue finishes bulking.
Trees Fruits and Nuts	5-8 litres per hectare	10-14 days	Begin when buds first form. Discontinue when fruit has sized.
Wine and Table Grapes	5-7 litres per hectare	10-14 days	Begin when fruit starts to form. Apply in repeat applications.

SETT/CaB can be applied in 3 applications 14, 7 & 3 days prior to harvest date to improve storability.

CONDITIONS OF SALE

1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorised to make any warranty, guarantee or direction concerning this product.
2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.

Batch No: