STOLLER'S BUDFEED PLUS

ANALYSIS	%W/V	
NITROGEN (as total)	23.0%	
CALCIUM (as total)	6.0%	
MAGNESIUM (as total)	2.0%	
Maximum Biuret <0.4%		
WITH STOLLER 'S TECHNOLOGY		

PRODUCT CONTAINS WATER 40.5% w/w

TOTAL SOLIDS 59.5% w/w

CAUTION

Always conduct a "Jar Test" using all products in proper proportion in order to establish physical compatibility.

SHAKE WELL BEFORE MIXING STORE IN A COOL PLACE OUT OF DIRECT SUNLIGHT

Do not swallow. The spray from this product may act as an irritant. Avoid inhalation and contact with the eyes and skin.





DISPOSE OF EMPTY CONTAINER AT AN APPROVED DRUM MUSTER WASTE MANAGEMENT FACILITY.

CONDITIONS OF SALE
I. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorised to make any warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.



BudFeed Plus

PROMOTE A STRONG AND EVEN BUDBURST



Stoller Australia

I Creswell Rd Phone (08) 8169 0900 Fax (08) 8169 0909 Largs Bay South Australia 5016 www.stoller.com.au

A.C.N. 065 320 747 MADE IN AUSTRALIA

| CONTENTS | 20 | 200 | 1000 | LITRES

A Corteva Agriscience Business

STOLLER'S BUDFEED PLUS

METHOD OF APPLICATION

Applied to the dormant wood of the tree or vine (usually after pruning).

Apply in period from 4 weeks before, to just prior to budburst (but before bud activity).

MIXING INSTRUCTION

Do not mix with fertilisers containing phosphorus or sulphur. Can be combined with Stoller's White Label range of nutrients such as zinc, manganese, iron, copper, boron, molybdenum and cobalt.

APPLICATION RATES		
CROP	RATE	COMMENTS
Wine Grapes & Table Grapes	Apply at 7% Solution to run off (7 Litres BUDFEED PLUS in 100 litres of water)	Ensure spray to "run off" to dormant canopy and cordon, minimum 30 litres per hectare of BudFeed Plus @ 7% solution
Young Trees		Ensure spray to "run off" dormant trees, minimum 600 litres per hectare of solution
Mature Trees		BudFeed Plus, minimum 750-1000 litres per hectare of Solution
Blueberry Crops - Winter Dormant	Post Pruning applied to wood @ 7% solution to runoff	Minimum 30 litres, @ 7% solution, per hectare of BudFeed Plus. Apply directly to wood post pruning thoroughly wetting plants during late dormancy
Blueberry Crops - Evergreen (winter active)	Budding apply 1% solution every 10-14 days	Apply to wood, thoroughly wetting plants

BATCH NO: