

SETT/CaB

ANALYSIS	%w/v
CALCIUM (as cholride)	11.0%
BORON (as Boric Acid)	1.4%

PRODUCT CONTAINS
TOTAL SOLIDS

40% w/w WATER
60% w/w

GENERAL INFORMATION

- SETT/CaB is designed to be sprayed on plant foliage to reduce localised ethylene production within the plant and increase calcium levels.
- It will also assist calcium replacement into cell walls.
- If used at regular intervals, SETT/CaB will increase fruit, boll, pod or bud set. When used as recommended SETT/CaB will reduce internal damage to storage tissue.

MIXING INSTRUCTIONS

SETT/CaB can be tank mixed and applied with many commonly used insecticides and fungicides. Refer to chemical label.

CAUTION: Always conduct a ‘Jar Test’ using all products in recommended proportions in water to establish physical compatibility.

WARNING: Do not swallow. The spray from this product may act as an irritant. Avoid inhalation & contact with the eyes and skin.

SHAKE WELL BEFORE MIXING

STORE IN A COOL PLACE OUT OF DIRECT SUNLIGHT



STOLLER AUSTRALIA PTY. LTD.
A.C.N. 065 320 747

1 Creswell Rd
Largs Bay
South Australia 5016

Phone (08) 8169 0900
Fax (08) 8169 0909
www.stoller.com.au

MADE IN AUSTRALIA

CONTENTS	20	200	1000	LITRES
----------	----	-----	------	--------

DIRECTIONS FOR USE

Greater efficacy is expected when shorter spray intervals are utilised. Spray enough water to achieve thorough coverage of the entire plant			
GLASSHOUSE CROPS			
Crop	Rate	Frequency	Comments
Tomatoes, Capsicums, Curcubits	500ml/200L of water	7-10 Days	Begin application when first flower appears
FIELD CROPS			
Field crops incl. Pulses	5-8 L/Ha	7-14 days	Begin application when first flower appears
Berries incl. Strawberries	5-8 L/Ha	10-14 days	
Field Vegetables	5-8 L/Ha	7-14 days	Begin application when the crop goes into ‘rapid growth’ stage or when storage tissue starts to develop. Discontinue when rapid growth ceases or when storage tissue finishes bulking.
Trees-Fruit and Nuts	5-8 L/Ha	10-14 days	Begin when buds first form. Discontinue when fruit has sized.
Wine and Table Grapes	5-8 L/Ha	10-14 days	Begin when fruit starts to form. Apply in repeat applications
SETT/CaB can be applied in 3 applications 14, 7 & 3 days prior to harvest date to improve storability.			

CONDITIONS OF SALE

1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorised to make any warranty, guarantee or direction concerning this product.
2. Because the time, place, rate of application and other conditions of use are beyond Seller’s control, Seller assumes no liability from handling, storage and use of this product.

Batch No: