

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/830; US OSHA HCS 2015; and Canadian WHMIS 2015.

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Code:** FGAU280, FGAU283, FGAU284, FGAU285
Product Name: CALCIUM 5X
Trade Name: CALCIUM 5X
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Relevant identified uses: For agricultural use only
- 1.3 Details of the Supplier of the Safety Data Sheet:**
Company Name: Stoller Australia
1 Cresswell Road
Largs Bay
South Australia 5016, Australia
Web site address: www.stoller.com.au
Email address: stoller@stoller.com.au
Information: 1800 337-845
- 1.4 Emergency telephone number:**
Emergency Contact: STOLLER PRODUCTION CHEMIST
Contact number: 08 8169-0988

Section 2. Hazards Identification

- 2.1 Classification of the Substance or Mixture:**
Serious Eye Damage/Eye Irritation, Category 2
Acute Toxicity: Skin, Category 4
Acute Toxicity: Oral, Category 4

2.2 Label Elements:



GHS Signal Word: Warning

GHS Hazard Phrases:

H302 - Harmful if swallowed.

H312 - Harmful in contact with skin.

H319 - Causes serious eye irritation.

GHS Precaution Phrases:

P264 - Wash hands thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases:

P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302+352 - IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P330 - Rinse mouth.

P337+313 - If eye irritation persists, get medical advice/attention.

P362+364 - Take off contaminated clothing and wash it before reuse.

GHS Storage and Disposal Phrases:

SAFETY DATA SHEET

CALCIUM 5X

P501 - Dispose of contents/container to permitted waste facility.

- 2.3 Adverse Human Health Hazards** not otherwise classified (HNOC) or not covered by GHS: None.
- Effects and Symptoms:** Chronic exposures to skin and mucous membranes that cause irritation may cause a chronic dermatitis or mucosal membrane problem.
- 2.3.1 Inhalation:** Inhaling mist, spray, or vapor may cause irritation to upper respiratory tract (nose and throat).
- 2.3.2 Skin Contact:** Skin irritation. Skin exposure may cause slight irritation, redness, itching, swelling. May cause more severe response if skin is damp, abraded (scratched or cut), or covered by clothing, gloves or footwear. Prolonged contact may cause more severe symptoms. Damage is localized to contact areas.
- 2.3.3 Eye Contact:** Causes eye irritation. Eye exposure may cause serious eye irritation, pain, and/or damage to the eye.
- 2.3.4 Ingestion:** Consumption of hypertonic solutions causes nausea, vomiting, and increased thirst.
- Medical Conditions Generally Aggravated By Exposure:** Any skin condition that disrupts the skin, such as abrasions, cuts, psoriasis, fungal infections, etc. Any eye condition that compromises tear production, conjunctiva, or normal corneal homeostasis.

Section 3. Composition/Information on Ingredients

CAS #	Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
22691-02-7	Calcium chloride (CaCl ₂), hydrate	<15.0 %	607-129-7 NA	Eye Damage 2: H319

Section 4. First Aid Measures

- 4.1 Description of First Aid Measures:** Victims of severe exposure to chemicals must be taken to health providing centers for medical attention. Always bring with victim a copy of label and SDS of product to health professional.
- In Case of Inhalation:** Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
- In Case of Skin Contact:** Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash before re-use.
- In Case of Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs, get medical advice/attention.
- In Case of Ingestion:** Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
- 4.2 Important Symptoms and Effects, Both Acute and Delayed:** Solution and/or solids may be visible on the skin and/or eyes. Localized redness, warmth, and irritation consistent with mechanism of injury: abrasion, burn, hypertonic solution.
- Note for the Doctor:** Treat symptomatically and supportively.

Section 5. Fire Fighting Measures

- 5.1 Suitable Extinguishing Media:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable Extinguishing Media:** None known.
- 5.2 Flammable Properties and Hazards:** This material does not burn.
- Hazardous Combustion Products:** Formed under fire conditions: hydrogen chloride gas, calcium oxide
- Flash Pt:** N.A.
- Explosive Limits:** LEL: N.A. UEL: N.A.
- Autoignition Pt:** N.A.
- 5.3 Fire Fighting Instructions:** Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

Section 6. Accidental Release Measures

- 6.1 Protective Precautions, Protective Equipment and Emergency Procedures:** Isolate the area. Keep unnecessary and unprotected personnel from entering the area. Spilled material may cause a slipping hazard on some surfaces. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. Refer to Section 7, Handling, for additional precautionary measures.
- 6.2 Environmental Precautions:** Prevent entry into waterways, sewers, basements or confined areas. See Section 12, Ecological Information.
- 6.3 Methods and Material For Containment and Cleaning Up:** Small and large spills: Contain spilled material if possible. Absorb with materials such as sand. Collect in suitable and properly labeled containers. Flush residue with water. See Section 13, Disposal Considerations, for additional information.

Section 7. Handling and Storage

- 7.1 Precautions To Be Taken in Handling:** Avoid contact with eyes, skin, and clothing. Do not swallow. Wash thoroughly after handling. Wear personal protective equipment as described in Section 8, Exposure Controls/Personal Protection.
- 7.2 Precautions To Be Taken in Storing:** Protect from atmospheric moisture. Keep containers tightly closed when not in use. Keep separated from incompatible substances see Section 10, Stability and Reactivity.

Section 8. Exposure Controls/Personal Protection

8.1 Exposure Parameters:

CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
22691-02-7 hydrate	Calcium chloride (CaCl ₂),	ACGIH TLV	TLV: 10 mg/m ³	

8.2 Exposure Controls:

8.2.1 Engineering Controls (Ventilation etc.): Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

8.2.2 Personal protection equipment:

Eye Protection: Wear safety glasses with side-shields. Wear chemical safety goggles and/or a face-shield to protect against skin and eye contact when appropriate.

Protective Gloves: Use gloves chemically resistant to this material. If hands are cut or scratched, use gloves chemically resistant to this material even for brief exposures. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Other Protective Clothing: Wear clean, body-covering clothing. Wear appropriate clothing to avoid skin contact.

Respiratory Equipment (Specify Type): Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In dusty or misty atmospheres, use an approved particulate respirator. The following should be effective types of air-purifying respirators: high efficiency particulate air (HEPA) N95. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Work/Hygienic/Maintenance Practices: Use good personal hygiene. Do not consume or store food in the work area. Wash hands and affected skin immediately after handling, before smoking or eating, before breaks, and at the end of the workday.
No data available.

Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Clear to pale yellow color.
Very slight characteristic odor.

pH: ~ 0.6 - 2.6

Freezing Point: N.E.

Boiling Point: No data.

Flash Pt: N.A.

Evaporation Rate: N.E.

Saturated Vapor Concentration: N.E.

Flammability (solid, gas): Material will not burn.

Explosive Limits: LEL: N.A. UEL: N.A.

Vapor Pressure (vs. Air or mm Hg): N.E.

Vapor Density (vs. Air = 1): N.E.

Specific Gravity (Water = 1):	1.11 - 1.15
Density:	~ 9.4 LB/GA
Solubility in Water:	Soluble
Octanol/Water Partition Coefficient:	No data.
Autoignition Pt:	N.A.
Decomposition Temperature:	N.A.
Viscosity:	N.E.
9.2 Other Information	
Percent Volatile:	N.A.

Section 10. Stability and Reactivity

10.1 Reactivity:	Hygroscopic.
10.2 Stability:	Unstable [] Stable [X]
10.3 Conditions To Avoid - Hazardous Reactions:	None known.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
10.4 Conditions To Avoid - Instability:	Stable under normal temperatures and pressures.
10.5 Incompatibility - Materials To Avoid:	Avoid contact with: bromide trifluoride. 2-furan percarboxylic acid because calcium chloride is incompatible with those substances. Contact with zinc forms flammable hydrogen gas, which can be explosive. Catalyzes exothermic polymerization of methyl vinyl ether. Reaction of bromide impurity with oxidizing materials may generate trace levels of impurities such as bromates.
10.6 Hazardous Decomposition or Byproducts:	Formed under fire conditions: hydrogen chloride gas, calcium oxide

Section 11. Toxicological Information

11.1 Information on Toxicological Effects:	Mutagenicity: This product has not been investigated for mutagenic effects. Embryotoxicity: This product has not been investigated for embryotoxic effects. Teratogenicity: This product has not been investigated for teratogenic effects. Reproductive Toxicity: This product has not been investigated for toxic reproductive effects.
Irritation or Corrosion:	No data available.
Symptoms related to Toxicological Characteristics:	No data available.
Sensitization:	No data available.
Chronic Toxicological Effects:	The toxicological properties of this material have not been fully investigated.
Carcinogenicity/Other Information:	No component is listed as a carcinogenic by IARC, NTP, OSHA, and ACGIH.
Carcinogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No

Section 12. Ecological Information

12.1 Toxicity:	The available data on this material does not indicate any undue hazard to the environment under anticipated use and storage. All work practices must be aimed at eliminating environmental contamination. Any waste due to spillage or leakage should be contained and disposed of accordingly, see above under Section 6 "Accidental Release Measures."
12.2 Persistence and Degradability:	Calcium chloride is believed not to persist in the environment because it is readily dissociated into calcium and chloride ions in water. Both ions originally exist in nature, and their concentrations in surface water will depend on various factors, such as geological parameters, weathering and human activities.
12.3 Bioaccumulative Potential:	Calcium chloride and its dissociated forms (calcium and chloride ions) are ubiquitous in the environment. Calcium and chloride ions can also be found as constituents in organisms. Considering its dissociation properties, calcium chloride is not expected to accumulate in living organisms.
12.4 Mobility in Soil:	Chloride ions are mobile in soil eventually draining into surface water.
12.5 Results of PBT and vPvB assessment:	No data available.
12.6 Other adverse effects:	No data available.

Section 13. Disposal Considerations

13.1 Waste Disposal Method:	<p>PRODUCT: Reuse or reprocess, if possible. Waste disposal must be done following all Federal, State and Local regulations. Regulations may vary in different locations. Report spills if applicable. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local waste regulatory authority.</p> <p>CONTAINER: Dispose properly accordingly to regulations on empty containers in your locality or make available to a container reconditioning facility for recycling.</p>
------------------------------------	--

Section 14. Transport Information

14.1 LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.
Trade Name: CALCIUM 5X

DOT Hazard Class:
UN/NA Number:

14.1 LAND TRANSPORT (Canadian TDG):

TDG Shipping Name:
UN Number:
Hazard Class: **TDG Classification:**

14.1 LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name:
UN Number:
Hazard Class:

SAFETY DATA SHEET

CALCIUM 5X

14.2 MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated. Trade Name: CALCIUM 5X

UN Number:

Packing Group:

Hazard Class:

IMDG MFAG Number:

N.A.

IMDG EMS Page:

14.3 AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated. Trade Name: CALCIUM 5X

Additional Transport Placards / Markings: N.A.

Information:

Emergency Response Guide Number: N.A.

Reportable Quantity: N.A.

Section 15. Regulatory Information

Canadian WHMIS Classification:



CLASS D, DIVISION 2, SUBDIVISION B: Toxic Materials (Mutagenicity, skin sensitization, irritation, etc.)


Section 16. Other Information

Revision Date: 03/29/2016

Hazard Rating System:

HEALTH		1
FLAMMABILITY		0
REACTIVITY		0
PPE		

HMIS:



Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

Stoller believes the information contained in this Safety Data Sheet is accurate based on the information provided by reputable suppliers of our raw materials. However, Stoller does not guarantee their accuracy or completeness. The information contained herein is furnished without warranty of any kind, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for any particular purpose. Users should consider these data only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers. Stoller assumes no responsibility for results obtained or for incidental or consequential damages arising from the use of goods and data.