

## N-HIB 23

ANALYSIS	W/V
TOTAL NITROGEN (N)	23.0%
CALCIUM (Ca)	6.0%
MAGNESIUM (Mg)	2.0%

DERIVED FROM: Stabilised Amine Nitrogen (with urease inhibitor), Calcium and Magnesium Chloride.

IMPURITIES:	Maximum Biuret < 0.4%
<b>PRODUCT CONTAINS</b>	<b>38% w/w WATER</b>
<b>TOTAL SOLIDS</b>	<b>62% w/w</b>

### GENERAL INFORMATION

- N-Hib 23 is a unique form of nitrogen which is used to supplement a present nitrogen programme.
- It will make roots more vigorous and increase resistance to disease.
- It will increase flowering, storage life and quality.
- It will help produce heavier yields, and decrease physiological damage to fruit and storage tissue.

### METHODS OF APPLICATION

- Through drip irrigation.
- Through overhead irrigation.
- Directly on the soil (banded).
- Placed into the soil (banded).
- Sprayed with herbicide.
- Sprayed onto trees and vines during dormant period.

### MIXING INSTRUCTIONS

- Do not mix with fertilisers containing Sulphur.
- Soil applied fungicides may be mixed and applied with a water solution containing N-Hib 23.

**CAUTION: Always conduct a "jar test" using all products in proper proportion in order to establish physical compatibility.**

**SHAKE WELL BEFORE MIXING**  
**STORE IN A COOL PLACE OUT OF DIRECT SUNLIGHT**

SII0515

# Stoller's



# N-HIB 23



1 Creswell Rd  
Largs Bay  
South Australia 5016

Phone (08) 8169 0900  
Fax (08) 8169 0909  
stoller.com.au

CONTENTS	20	200	800	1000	LITRES
----------	----	-----	-----	------	--------

MADE IN AUSTRALIA

### CAUTION:

Harmful if swallowed. Always wear protective clothing and goggles. Wash thoroughly with soap and water after handling. EYES: Hold eyes open and wash with water continuously for at least 15 minutes. Seek medical attention. SKIN: Remove all contaminated clothing and wash affected area with plenty of soap and water. IF SWALLOWED DO NOT INDUCE VOMITING. Give plenty of water and seek immediate medical attention.

### RECOMMENDATIONS FOR USE

We recommend the addition of boron to this mixture at 0.01% where there is a low risk of soil boron toxicity. Alternatively consider foliar application of Stoller's Liquid Boron or Nitrate Balancer at label rates.

### DIRECTIONS FOR USE

#### In Furrow/Irrigation

CROP	RATE	COMMENTS
Broadacre (cereals etc.)	50 litres 5-20 litres 5-25 litres	Apply direct in seed furrow at planting. Boom spray at 4 leaf stage or with herbicide. Foliar apply with ample water for thorough coverage to increase protein levels.
Carrots, canola, peas, lentils, beans	25-75 litres	Apply directly over seed row behind press wheel of planter or drill.
Grapevines and trees	25-50 litres per application	Inject through fertigation system (50 litres equates to 11.5 units of stabilised N).
Potatoes, onions, garlic row	50-100 litres multiple treatments	Apply through fertigation beginning at planting and repeating at 30 day intervals. Can be banded beside.
Vegetables, melons, brassicas, cucurbits, celery, tomatoes, pepper	25-200 litres per treatments	Use to supplement regular nitrogen sources. Apply in a bank beside the row immediately after planting and/or apply through irrigation to supply desired units of N.
Other vegetables and small fruits (all horticultural crops)	25-70 litres	Use N-Hib 23 for total nitrogen inputs in fertigation. (50 litres equates to 11.5 units N). Maximum 15 litres per hectare as foliar spray.

Use a maximum of 20 litres per hectare for foliar applications. Use lower end rates in warm conditions (> 20 degrees C).

### CONDITIONS OF SALE

1. Seller warrants that this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one, other than an officer of Seller, is authorised to make any warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.

BATCH NO: